

A G E N D A
COUNCIL MEETING
TOWNSHIP OF WELLESLEY
ROAD & BRIDGE; PROPERTY & FIRE COMMITTEE
JANUARY 17, 2012 – 6:45 PM
COUNCIL CHAMBERS – CROSSHILL

Pages

1	R. & B.; P. & F. 3/12 – 2012 Winter Sand Quotations – For information
2-5	R. & B.; P. & F. 4/12 – Hydro One – Tower Line Forestry Maintenance Program – For information
6-7	R. & B.; P. & F. 5/12 – Resolution from Nottawasaga Police Services Board re: Traffic Enforcement – Use of Photo Radar – Motion required
8-13	R. & B.; P. & F. 6/12 – Fire Call Reports – For information

Road & Bridge; Property & Fire

Date: January 17, 2012

Prepared for: Council of the Township of Wellesley

Prepared by: Kevin Beggs, General Manager of Community Services

RE: 2012 Winter Sand Quotations – For Information

Background / History:

Public Works has requested quotations from the following local pit operators:

1. Steed and Evans Ltd. 2. Kieswetter Excavating Inc. 3. Tri-City Materials

Quotations are based on our trucks being loaded by the pit operator with the prices F.O.B. the pit. Our staff will haul the sand back to the Crosshill yard for pickling and stockpiling.

Staff Comments / Summary:

Staff estimate the quantity required to be 2500 tonnes depending on the severity of the winter. Acceptance of material is contingent upon meeting gradation requirements as per Ontario Provincial Standard Specifications (OPSS) as well as passing a visual inspection by our staff.

Financial Implications / Impacts:

The material will be funded through our 2012 Winter Maintenance budget at a cost of \$8600.00 estimated.

<u>Pit Operator</u>	<u>Price Quoted Per Tonne*</u>
• Kieswetter Excavating Inc.	\$3.10
• Tri-City Materials	\$3.38
• Steed and Evans Limited	\$4.13

*Plus enviro charges and taxes and 11.5 cents per tonne Provincial levy.

Inspection

Kieswetter's sand was inspected and meets township requirements.

Willis McLaughlin
Executive Director of Operations

R. & B.; PROP. & FIRE;
Township
File No: 3/12

6

Hydro One – Tower Line Forestry Maintenance Program

It is essential that you call 519-792-3136 agreeing to the work on your property or to discuss work with our technician listed below. After hour calls, please leave a message with your contact number and time of when we can reach you.

This letter is notification that right-of way maintenance is scheduled for the section of line in which your property is located.

The work will be completed in stages:

- To control incompatible brush growing on the tower line corridor, a low volume backpack herbicide application will be used. The brush is to be treated with a federally and provincially approved herbicide Garlon Ultra (PCP Registration #28434), Garlon RTU (PCP Registration # 29334), or EZ-Ject Capsules where appropriate.
- When conditions are favourable, mechanical equipment may be used for brush and tree control.
- Line clearing may include the pruning of branches away from power lines and the removal of dead or hazardous trees. All wood generated from any tree removals will be left on your property. Brush will only be chipped on or near manicured lawns.

Further contact can be made by the email listed or by calling the number below. Thank you for your cooperation in completing this important maintenance program.

Sincerely,
Devin Boomhour
Essex Area Forestry Technician
(519) 792-3136
devin.boomhour@hydroone.com

Additional Comments:




R. & B; PROP. & FIRE;
Township
File No: 4/12

2

Hydro One Forestry: Project 10049


Note: Red Denotes the approximate line location, page #1 provides the Macro view for the line, pages 2-18 provide micro-view.



R. & B; PROP. & FIRE;
Township 4/12
File No: 4/12


3

North America Canada Ontario Hawkesville



R. & B. PROP. & FIRE;
Township
File No: 4/12

4



P. & B. PROP. & FIRE
Township 4/12
File No:

Nottawasaga Police Services Board

(serving Adjala-Tosorontio/Essa/New Tecumseth)

P. O. Box 910, 10 Wellington Street East, Alliston, Ontario L9R 1V9
Tel: (705) 435-6219 Fax: (705) 435-2873

December 9, 2011

Dalton McGuinty
Premier of Ontario
Legislative Building, Queen's Park
Toronto, ON M7A 1A1

Dear Premier McGuinty:

RE: TRAFFIC ENFORCEMENT - USE OF PHOTO RADAR

At the November 24, 2011 meeting of the Nottawasaga Police Services Board, the option of using photo radar as a means of traffic enforcement was discussed. As a result of this discussion, Resolution No. 2011-82 was passed, a copy of which is attached for your information.

On behalf of the Nottawasaga Police Services Board, thank you for your kind consideration of this matter and we look forward to your favourable response.

Yours truly,

"Jan Heydon"

Jan Heydon
Acting Secretary

Circulation:

Ontario Police Services Boards
Ontario Provincial Police Headquarters
Police Association of Ontario
Ontario Association of Chiefs of Police
All Ontario Municipalities

R. & B.; PROP. & FIRE;
Township
File No: <u>5/12</u>

6



Nottawasaga Police Services Board

Moved by:	Margo Doucette	Resolution No:	2011-82
Seconded by:	Dee Rowsome	Date:	November 24, 2011

"WHEREAS in 1994, the Ontario Government approved a pilot project for photo radar on selected highways with high collision experience;

AND WHEREAS the media coverage of the introduction of these units at the time is believed to have resulted in an overall reduction in speeding on all highways in the Province;

AND WHEREAS a reduction in the speed of vehicles results in a reduction in fatalities and major injuries;

AND WHEREAS the Ontario Government discontinued the program and is yet to reinstate it in spite of numerous attempts made at the municipal level;

NOW THEREFORE BE IT RESOLVED THAT the Premier of Ontario be requested to reinstitute the photo radar program for the provincially regulated Police Services Boards to manage and use at their discretion;

AND FURTHER THAT a copy of this resolution be forwarded to all Ontario Police Services Board Association members and all Ontario municipalities for their endorsement;

AND FURTHER THAT the Ontario Provincial Police, the Ontario Police Association and the Ontario Police Chief's Association be requested to support the resolution."

CARRIED

R. & B: PROP. & FIRE;
 Township _____
 File No: 5/12

1

TOWNSHIP OF WELLESLEY FIRE DEPARTMENT CALL REPORT - LINWOOD STATION
November 1 - November 30, 2011

Number	Date	Address	Response Type		Dispatched	En Route	On Scene	Turnout Time	Response Time	Total	
			Description	Type						Personnel	Hours
511-139	Nov 23 11	5345 Buehler Line, WELLESLEY	Fire		19:13:46	19:17:13	19:20:38	00:03:27	0:03:25	14	42
511-135	Nov 13 11	1030 Ayrshire Lane, WELLESLEY	Fire		02:05:14	02:09:33	02:15:54	00:04:19	0:06:21	15	15
511-134	Nov 9 11	4639 Lobsinger Line, WELLESLEY	Vehicle Collision		15:43:39	15:44:50	15:45:49	00:03:31	0:00:59	15	27
511-131	Nov 1 11	6631 Wellington Road 12, MAPLETON	Vehicle Collision		08:28:40	08:32:01	08:42:02	00:03:21	0:10:01	8	8

* AVERAGE TURNOUT TIME 0:03:39

** AVERAGE RESPONSE TIME 0:05:11

* Average Turnout Time is the Dispatch Complete to the On Air Time

** Average Response Time is the On Air Time to the On Scene Time

R. & B; PROP. & FIRE;
Township
File No: 6/12

8

M

TOWNSHIP OF WELLESLEY FIRE DEPARTMENT CALL REPORT - WELLESLEY STATION
November 1 - November 30, 2011

Number	Date	Address	Response Type Description	Dispatched	En Route	On Scene	Turnout Time	Response Time	Total Response Personnel	Total Staff Hours
511-141	Nov 30 11	3742 Nafziger Road, WELLESLEY	Oxygen administered	13:45:04	13:49:21	13:50:38	00:04:17	0:01:17	11	11
511-139a	Nov 23 11	5345 Buehler Line, WELLESLEY	Fire	19:21:56	19:28:32	19:43:32	00:06:36	0:15:00	9	23
511-138	Nov 19 11	1-303 Pond View Drive, WELLESLEY	CO false alarm - perceived emergency (no CO present)	12:15:49	12:16:06	12:16:08	00:00:17	0:00:02	2	2
511-137	Nov 17 11	3692-A - C Nafziger Road, WELLESLEY	CO false alarm - equipment malfunction (no CO present)	08:34:58	08:41:31	08:42:56	00:06:33	0:01:25	6	6
511-136	Nov 16 11	1332 Lisbon Road, WILLMOT	Assisting Other FD: Fire Protection Agreement	17:06:29	17:11:10	17:15:18	00:04:41	0:04:08	13	13
511-135a	Nov 13 11	1030 Ayrshire Lane, WELLESLEY	Fire	02:05:14	02:09:33	02:15:54	00:04:19	0:06:21	10	10
511-133	Nov 8 11	30 Zinkann Crescent, WELLESLEY	CO false alarm - equipment malfunction (no CO present)	10:45:57	10:46:22	10:57:04	00:00:25	0:10:42	2	2
511-132	Nov 1 11	6205 Deborah Glaister Line, WELLESLEY	Other Rescue	17:07:51	17:12:51	17:18:11	00:05:00	0:05:20	20	20

*AVERAGE TURNOUT TIME 0:04:01

**AVERAGE RESPONSE TIME 0:05:32

* Average Turnout Time is the Dispatch Complete to the On Air Time

** Average Response Time is the On Air Time to the On Scene Time

R. & B. STOP & FIRE
 Township
 File No: 6/12

A

TOWNSHIP OF WELLESLEY FIRE DEPARTMENT CALL REPORT - ST CLEMENTS STATION
November 1 - November 30, 2011

Number	Date	Address	Response Type Description	Dispatched	En Route	On Scene	Turnout Time	Response Time	Total	
									Response Personnel	Total Staff Hours
511-132a	Nov 1 11	6205 Deborah Glaister Line, WELLESLEY	Other Rescue	17:07:51	17:12:51	17:18:11	00:05:00	0:05:20	20	20
511-140	Nov 24 11	1035 Geddes Street, WELLESLEY	Vital signs absent, DOA	08:25:19	08:29:19	08:33:12	00:04:00	0:03:53	12	12

*AVERAGE TURNOUT TIME
0:04:30

**AVERAGE RESPONSE TIME
0:04:37

* Average Turnout Time is the Dispatch Complete to the On Air Time
** Average Response Time is the On Air Time to the On Scene Time

R. & B; PROP. & FIRE;
Township
File No: 6/12

W

TOWNSHIP OF WELLESLEY FIRE DEPARTMENT CALL REPORT - ST CLEMENTS STATION

December 1 - December 31, 2011

Number	Date	Address	Response Type Description	Dispatched	En Route	On Scene	Turnout Time	Response Time	Response Personnel	Total Staff Hours
511-158	Dec 29 11	3434 Herrgott Road, WELLESLEY	Fire	18:54:08	18:59:21	19:02:51	00:05:13	00:03:30	15	22
511-151	Dec 22 11	3811 Weimar Line, WELLESLEY	Fire Alarm - Perceived Emergency	13:11:43	13:16:38	13:23:24	00:04:55	00:06:46	7	4
511-147a	Dec 12 11	50 Pine Street, WELLESLEY	Human - Accidental (alarm accidentally activated by person)	15:12:44	15:17:35	15:18:30	00:04:51	00:00:55	10	0
511-146	Dec 11 11	1139 Church Street, WELLESLEY	Oxygen administered	12:15:37	12:19:07	12:20:50	00:03:30	00:01:43	7	1
511-144	Dec 9 11	1115-2 Cedar Grove Rd, WILMOT	Assisting Other FD: Fire Protection Agreement	07:53:32	07:58:11	08:07:18	00:04:39	00:09:07	10	6

*AVERAGE TURNOUT TIME 0:04:38

**AVERAGE RESPONSE TIME 0:04:24

* Average Turnout Time is the Dispatch Complete to the On Air Time

** Average Response Time is the On Air Time to the On Scene Time

R. & B; PROP. & FIRE:
 To: Chief
 His No: 6/12

(1)

TOWNSHIP OF WELLESLEY FIRE DEPARTMENT CALL REPORT - WELLESLEY STATION

December 1 - December 31, 2011

Number	Date	Address	Response Type Description	Dispatched	En Route	On Scene	Turnout Time	Response Time	Response Personnel	Total Staff Hours
511-156	Dec 27 11	Wilmot-Easthope Road	Vehicle Collision	20:41:25	20:47:30	20:53:51	00:06:05	00:06:21	14	11
511-154	Dec 25 11	1124 Molesworth Street, WELLESLEY	Oxygen administered	05:05:34	05:12:05	05:14:33	00:06:31	00:02:28	13	2
511-153	Dec 24 11	15 Schweitzer Crescent, WELLESLEY	Oxygen administered	03:40:53	03:47:17	03:49:53	00:06:24	00:02:36	13	3
511-152	Dec 22 11	Nafziger Road and Gerber Road	Vehicle Collision	21:27:40	21:33:23	21:35:07	00:05:43	00:01:44	15	22
511-151a	Dec 22 11	3811 Weimar Line, WELLESLEY	Fire Alarm - Perceived Emergency	13:11:43	13:16:38	13:23:24	00:04:55	00:06:46	9	4
511-150	Dec 18 11	4726 Weimar Line, WELLESLEY	Chest pains or suspected heart attack	18:54:51	18:59:27	19:03:28	00:04:36	00:04:01	10	3
511-149	Dec 17 11	40 David Street, WELLESLEY	Alarm System Equipment - Malfunction	20:42:44	20:49:44	20:51:29	00:07:00	00:01:45	11	4
511-148	Dec 13 11	147 Gerber Meadows, WELLESLEY	CO false alarm - equipment malfunction (no CO present)	07:22:30	07:29:24	07:39:30	00:06:54	00:10:06	2	1

* AVERAGE TURNOUT TIME 0:06:01

** AVERAGE RESPONSE TIME 0:04:28

* Average Turnout Time is the Dispatch Complete to the On Air Time

** Average Response Time is the On Air Time to the On Scene Time

R. & B; PROP. & FIRE;
 Township
 File No: 6/12

2

TOWNSHIP OF WELLESLEY FIRE DEPARTMENT CALL REPORT - LINWOOD STATION
 December 1 - December 31, 2011

Number	Date	Address	Response Type Description	Dispatched	En Route	On Scene	Turnout Time	Travel Time	Total Response Personnel	Total Staff Hours	
511-158a	Dec 29 11	3434 Herrgott Road, WELLESLEY	Fire	18:59:49	19:01:53	19:10:42	00:02:04	00:08:49	9	3	
511-157	Dec 29 11	7470 Line 86, WELLESLEY	Vehicle Collision	10:37:08	10:41:21	10:47:09	00:04:13	00:05:48	10	3	
511-155	Dec 25 11	4830 William Hastings Line, WELLESLEY	CO false alarm - equipment malfunction (no CO present)	23:40:13	23:54:15	00:00:53	00:14:02	00:06:38	3	1	
511-147	Dec 12 11	50 Pine Street, WELLESLEY	Human - Accidental (alarm accidentally activated by person)	15:12:44	15:17:35	15:18:30	00:04:51	00:00:55	9	4	
511-145	Dec 9 11	4525 Posey Line, WELLESLEY	Seizure	16:58:55	17:02:53	17:06:54	00:03:58	00:04:01	8	2	
511-142	Dec 2 11	LICHTY ROAD	Fire	20:24:33	20:27:49	20:31:27	00:03:16	00:03:38	10	20	
							*AVERAGE TURNOUT TIME			0:05:24	
							**AVERAGE RESPONSE TIME				0:04:58

* Average Turnout Time is the Dispatch Complete to the On Air Time
 ** Average Response Time is the On Air Time to the On Scene Time

R. & B.; PROP. & FIRE;
 Township
 File No: 6/12